


Hand Operated Drapery Track Systems



 **SilentGliss**[®]

Hand Operated Drapery Track System

Silent Gliss® 2191



Product Information


- Solid hand drawn drapery track.
- Stacking: single, split and multiple stacks.
- Ceiling, wall and recess possibilities.
- The minimum bending radius is 12".
- Standard colors: anodized aluminum and white powder coat.
- Standard length of track is 20' but can go to unlimited length with special connecting bridges.
- Compatible with the exclusive Silent Gliss Wave and Wave XL Curtain Heading Systems.



2191

Profile and Bending Information

Main profile




2191



Min. bending radius 12"
Wave XL: Min. bending radius 20"

Recess profile




5117






Cannot be bent

How to measure

Stack size calculation Wave XL



a = Stack depth 14 in.
b = Stack size
c = Min. distance 9 in.

System width (in)		30-42	43-56	57-71	71-85	85-99	100-113	114-127	128-141	142-156
 System width (in)	b	9	10	12	14	16	18	20	22	24
System width (in)		156-169	170-184	185-198	199-212	213-226	227-240			
 System width (in)	b	26	28	30	32	34	36			
System width (in)		61-86	86-114	115-142	143-170	171-198	199-227	228-240		
 System width (in)	b	9	10	12	14	16	18	20		

System Dimensions



2191



unlimited



97 lbs




Wave XL: Max. 20 ft




Wave XL: Max. 33 lbs

System Options

Wave curtain heading system




The Wave is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.




The Wave components are:

- 6345 Glider Cord 60 mm
- 6346 Glider Cord 80 mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron tape
- 6364 Extension
- 6365 Hanger
- 6367 Wave Master Carrier
- 6368 Wave Carrier
- 10075 Lead weight 50 gr/m
- 6013 End stop

Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.





The Wave XL components are:

- 2216 Cord 0.85 mm
- 6013 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension
- 6398 Clip
- 10075 Lead weight 50gr/m





Mounting Options

Ceiling mounting with clamp 3825



3825
Clamp

Ceiling mounting with bracket 3832




3832
Bracket


Recess mounting with recess profile 5117



2191





dme_05117_us_
el_5100.eps
5117
Recess Profile




5118
Wedge


Wall mounting with adjustable brackets 0829, 0831 with slider 0828 and clamp 3832




0829
Wall Bracket (2 3/4")



0831
Wall Bracket (4")



0828
Slider



3832
Bracket

Brackets feature thread for screw M4x8 for mounting the bracket 3832.

Standard Accessories

2191




2191 / 5400 system extrusion



3825

Swing clamp







6013	Endstop		6086	End stop (removable)	
6098	Roller				

Optional Accessories

0829	Wall Bracket (2 3/4")		0831	Wall Bracket (4")	
2216	Cord (ø 1/32")		3832	Installation bracket for curved tracks	
5115	2191 extrusion connecting bridge		5117	Recess Profile	
5118	Wedge		6007	Endstop	
6013	Endstop		6086	End stop (removable)	
6094	Roller w/ hook		6283	Roller	
6349	Curtain tape		6363	Iron tape	
6391	Hanger for Wave XL		6392	Heading film for Wave XL	
6393	Glider for Wave XL		6394	Carrier for Wave XL	
6395	Extension for Wave XL		6398	Clip for Wave XL	



Sewing Accessories

3582	Hook		3599	Hook	
6349	Curtain tape		6363	Iron tape	

www.SilentGlissAmerica.com

Silent Gliss Inc
United States Distribution
755 East 134th street
3rd Floor.
Bronx, NY 10454

Correspondence:
P.O. Box 592
New York, Ny 10150

Please call or email
with any questions or for technical catalogs:
info@SilentGlissAmerica.com
Tel: 718-412-9040